

## THE CLAIMS

1. (previously presented) A golf club head, comprising:
  - a face member having a striking face and a rear surface opposite said striking face, said rear surface having a first perimeter profile;
  - a dampening member coupled to said rear surface and having a perimeter profile that is substantially the same as said face member perimeter profile; and
  - a body member coupled to said dampening member;wherein said dampening member has a thickness from approximately 0.02 inch to approximately 1 inch;
- wherein said dampening member includes one or more of rubber, urethane, polyurethane, butadiene, polybutadiene, and silicone; and
- wherein said face member is substantially isolated from said body member by said dampening member.
2. (original) The golf club head of claim 1, wherein said face member is formed of aluminum or an aluminum alloy, and said body member is formed of steel.
3. (original) The golf club head of claim 1, wherein said body member includes a hosel for attaching a shaft to the club head.
4. (original) The golf club head of claim 1, wherein said dampening member is coupled to substantially all of said rear surface.
5. (original) The golf club head of claim 4, further including mechanical fasteners coupling said face member, said dampening member, and said body member.

- 1 6. (previously presented) The golf club head of claim 1, wherein said face member is  
2 completely isolated from said body member by said dampening member.
- 1 7. (original) The golf club head of claim 6, wherein said face member is completely  
2 isolated from said body member by said dampening member.
- 1 8. (previously presented) The golf club head of claim 1, wherein said dampening member  
2 is coupled to said face member and said body member by an adhesive.
- 1 9. (canceled)
- 1 10. (previously presented) The golf club head of claim 1, wherein said thickness is from  
2 approximately 0.03 inch to approximately 0.08 inch.
- 1 11. (original) The golf club head of claim 1, wherein the face member has a thickness from  
2 approximately 0.05 inch to approximately 0.25 inch.
- 1 12. (original) The golf club head of claim 11, wherein said thickness is from approximately  
2 0.1 inch to approximately 0.2 inch.
- 1 13. (original) The golf club head of claim 1, wherein the golf club head is a putter head.
- 1 14-18. (canceled)
- 1 19. (previously presented) The golf club head of claim 1, wherein said dampening member  
2 has a uniform thickness.
- 1 20. (previously presented) The golf club head of claim 1, wherein said face member is in  
2 partial contact with said body member.

21. (currently amended) The golf club head of claim 1, wherein said dampening member is a different color than said face member and said body member.

22. (currently amended) ~~[[A]]~~ The golf club head of claim 1, comprising:

~~a face member having a striking face and a rear surface opposite said striking face, said rear surface having a first perimeter profile;~~

~~a dampening member coupled to said rear surface and having a perimeter profile that is substantially the same as said face member perimeter profile; and~~

~~a body member coupled to said dampening member;~~

wherein said dampening member is comprised of different materials in toe, center, and heel portions thereof.

23-24. (canceled)

25. (previously presented) The golf club head of claim 22, wherein said face member, said dampening member, and said body member are coupled such that each component is visible to the user at the address position.